

From: [Diana Engleman](#)
To: [Hohman, Darla](#)
Subject: Re: Response to SPCC Due Today
Date: Monday, October 31, 2022 11:35:06 AM

Good morning Darla,

I have been working on this today in hopes to complete it. We had the tank inspection on Wednesday I have not yet seen the reports for that but I will reach out to them and see how much longer until I can have those. I have all concrete poured for secondary containment and delivery site. I am now in the process of changing the original spcc plan to reflect the current layout. I will forward both the plan and the report on to you when I receive them. Expect to have pictures and the documents I can provide later today.

Thank you,
Diana

[Sent from Yahoo Mail on Android](#)

On Mon, Oct 31, 2022 at 10:55 AM, Hohman, Darla
<hohman.darla@epa.gov> wrote:

Good Morning Diana,

I just wanted to remind you that you must be in compliance today for your outstanding SPCC deficiencies. If not, we will proceed with an expedited settlement agreement on the outstanding deficiencies, which will include a small penalty. I don't have authorization to extend the date of compliance past today. Let me know if you have any questions.
Thanks.

=====
Ms. Darla Hohman
US Environmental Protection Agency
1595 Wynkoop Street, MC: 8ENF-RO-O
Denver, CO 80202-1129
(303) 312-6953 fax
(303) 312-6263
Email: hohman.darla@epa.gov
=====